# GC Application



### **Drugs of Abuse**

Column: Phase: Dimensions: Order No: Oven Profile: Carrier Gas: Injection: Detection: 1080	Zebron <sup>TM</sup> ZB-1, GC Cap. Column 15 m x 0.53 mm x 0.50 $\mu$ m, Ea 100% Dimethylpolysiloxane 15 meters x 0.53 mm x 0.5 $\mu$ m 7EK-G001-17 160°C for 1min to 295°C @ 100°C/min (hold 9min) Constant Flow Helium, 8.4 mL/min Splitless :1 1 $\mu$ L @ 70°C Mass Spectrometer (MS) (300°C)						<image/>
	2			20 16 <sup>17</sup> 19 18 8	22 21 10	12	

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com

## GC Application

### **Drugs of Abuse**

#### **ANALYTES:**

- 1 Phenyl-2-propanone
- 2 Amphetamine
- 3 Methamphetamine
- N,N-Dimethylamphetamine 4
- 5 Norpseudoephedrine
- 6 Pseudoephedrine
- 7 3,4-Methylenedioxyamphetamine
- 3,4-Methylenedioxymethamphetamine 8
- 9 Benzocaine
- 10 Methylenedioxyethyl amphetamine
- 11 Mescaline
- 12 Caffeine
- 13 Phencyclidine
- 14 Procaine
- 15 Cocaine
- 16 Diazepam
- 17 Acetylcodeine
- 18 Flunitrazepam
- 19 Heroin
- 20 Quinine
- 21 LSD
- 22 Strychnine

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com