

GC Application

ID No.: 1269

Aroclor 1254: EPA Method 8082

Column: Zebron[™] ZB-5, GC Cap. Column 30 m x 0.25 mm x 0.25 μm, Ea

Phase: 5% Phenyl 95% Dimethylpolysiloxane

Dimensions: 30 meters x 0.25 mm x 0.25 μm

Order No: 7HG-G002-11

Oven Profile: 160°C to 260°C at 6°C/min (hold 4 min)

Carrier Gas: Constant Flow Helium, 0.88 mL/min


Injection: Split 100:1 1 μL @ 250°C

Detection: Flame Ionization (FID) (300°C)

Analyst Note: Sample analytes 100ppm aroclor 1254 in hexane



Products used in this application:



ANALYTES:

- 1 Arochlor 1254

