

# GC Application

ID No.: 14811

## EPA Method 552.2: Haloacetic Acids on ZB-1701 30x0.25x0.25 (fast)

**Column:** Zebron<sup>™</sup> ZB-1701, GC Cap. Column 30 m x 0.25 mm x 0.25 μm, Ea

**Phase:** 14% Cyanopropylphenyl 86% Dimethylpolysiloxane

**Dimensions:** 30 meters x 0.25 mm x 0.25 μm

**Order No:** 7HG-G006-11

**Oven Profile:** 45°C for 4 min to 200°C at 14°C/min.

**Carrier Gas:** Constant Flow Helium, 1.9 mL/min


**Injection:** split 20:1 1 μL @ 200°C

**Detection:** Electron Capture (ECD) (260°C)

14811



Products used in this application:



## EPA Method 552.2: Haloacetic Acids on ZB-1701 30x0.25x0.25 (fast)

### ANALYTES:

- 1 Chloroacetic acid
- 2 Bromoacetic acid
- 3 Dalopan
- 4 Dichloroacetic acid
- 5 Trichloroacetic acid
- 6 1,2,3-Trichloropropane
- 7 Bromochloroacetic acid
- 8 Bromodichloroacetic acid
- 9 Dibromoacetic acid
- 10 Chlorodibromoacetic acid
- 11 Tribromoacetic acid

