GC Application ID No.: 14815



Ethylene and Propylene Glycol in Water on ZB-WAX

Column: Phase: Dimensions: Order No: Oven Profile:	Zebron [™] ZB-WAX, GC Cap. Column 30 m x 0.53 mm x 1.00 µm, Ea Polyethylene Glycol (PEG) 30 meters x 0.53 mm x 1 µm 7HK-G007-22 80°C for 1 min to 200°C at 8°C/min for 5 min.			Contraction of the second seco
Carrier Gas: Injection:	Constant Flow Helium, 6.6 mL/min splitless :1 1 µL @ 225°C			
Detection: 14815	Flame Ionization (FID) (325°C)			Ro 100 Aures Products used in this application:
1010	1			
		2		Zebron
7.5	8 8.5	9 9.5	10 10.5	min

ANALYTES:

- Propylene glycol 1
- 2 Ethylene glycol

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com