GC Application ID No.: **14817**



Siloxanes on ZB-5

Column: Zebron™ ZB-5, GC Cap. Column 15 m x 0.25 mm x 0.25 μm, Ea

5% Phenyl 95% Dimethylpolysiloxane Phase: **Dimensions:** 15 meters x 0.25 mm x 0.25 μm

Order No: 7EG-G002-11

Oven Profile: 100°C to 360°C at 15°C/min for 5 min.


Carrier Gas: Constant Flow Helium, 1.1 mL/min

Injection: split 10:1 1 µL @ 320°C **Detection:** Mass Selective (MSD) (180°C)



Products used in this application:





ANALYTES:

1 Siloxanes

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.