

## EPA Method 611 - Haloethers ZB-5 15x0.53x1.5

**Column:** Zebtron™ ZB-5, GC Cap. Column 15 m x 0.53 mm x 1.50 µm, Ea

**Phase:** 5% Phenyl 95% Dimethylpolysiloxane

**Dimensions:** 15 meters x 0.53 mm x 1.5 µm

**Order No:** 7EK-G002-28

**Oven Profile:** 100°C to 300°C at 15°C/min for 10 min.

**Carrier Gas:** Constant Flow Helium, 3 mL/min


**Injection:** split 20:1 0.2 µL @ 200°C

**Detection:** Flame Ionization (FID) (300°C)

14864



Products used in this application:



### ANALYTES:

- 1 bis(2-Chloroethyl)ether
- 2 bis(2-Chloroisopropyl)ether
- 3 bis(2-Chloroethoxy)ether
- 4 4-Chlorophenylphenylether
- 5 4-Bromophenyl phenyl ether

