

## Selectivity Mix II on ZB-5MS

**Column:** Zebtron™ ZB-5MS, GC Cap. Column 30 m x 0.25 mm x 0.25 μm, Ea

**Phase:** 5% Phenyl-Arylene 95% Dimethylpolysiloxane

**Dimensions:** 30 meters x 0.25 mm x 0.25 μm

**Order No:** 7HG-G010-11


**Oven Profile:** 130°C for 25 min to 300°C at 20°C/min hold

**Carrier Gas:** Constant Pressure Hydrogen, 0.69 mL/min

**Injection:** Split 100:1 0.5 μL @ 130°C

**Detection:** Flame Ionization (FID) (325°C)

15924



Products used in this application:



## Selectivity Mix II on ZB-5MS

### ANALYTES:

- 1 n-Undecane
- 2 4-Chlorophenol
- 3 Dodecane
- 4 Nonylamine
- 5 1-Undecanol
- 6 Tridecane
- 7 Methyl decanoate
- 8 Tetradecane
- 9 Acenaphthene
- 10 1-Dodecanol
- 11 Pentadecane
- 12 Hexadecane (C16)

