## **GC Application** ID No.: **16089**



## ZB-5HT Stability at 430°C

Zebron™ ZB-5HT, GC Cap. Column 15 m x 0.32 mm x 0.10  $\mu$ m, Ea Column:

5% Phenyl 95% Dimethylpolysiloxane Phase: **Dimensions:** 15 meters x 0.32 mm x 0.1  $\mu$ m

Order No: 7EM-G015-02

**Oven Profile:** 40°C for 2min to 430°C at 20°C/min for 10min


**Carrier Gas:** Constant Flow Helium, 1.9 mL/min Injection: On-Column :1 0.1 µL @ 43°C **Detection:** Refractive Index (430°C) Analyst Note: Sample was 1.5mg/mL in CS2



Products used in this application:



16089



## **ANALYTES:**

1 Paraffin wax

