## **GC Application** ID No.: **17789**



## 6-MAM by MSD on a ZB-5MSi

Zebron™ ZB-5MSi, GC Cap. Column 10 m x 0.18 mm x 0.18 µm, Ea Column:

Phase: 5% Phenyl 95% Dimethylpolysiloxane **Dimensions:** 10 meters x 0.18 mm x 0.18  $\mu$ m

Order No: 7CD-G018-08

**Oven Profile:** 170 °C to 300 °C @ 20 °C/min

**Carrier Gas:** Constant Flow Helium, 0.7 mL/min

Injection: Split 10:1 1 µL @ 280°C **Detection:** Mass Selective (MSD) (320°C) Analyst Note: Analytes are 1ppm derivatized with BSTFA


(Quant ion\*) D3-6-MAM (\*402,403): 6-MAM (\*399,400,340)

17789



Products used in this application:





## **ANALYTES:**

- 6-MAM-d3
- 2 6-MAM

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide. www.phenomenex.com