
GC Application ID No.: 18299



Italian Wines using ZB-WAX and FID

Column: Phase: Dimensions: Order No: Oven Profile:	Zebron [™] ZB-WAXplus [™] , GC Cap. Column 30 m x 0.32 mm x 0.25 μm, Ea Polyethylene Glycol (PEG) 30 meters x 0.32 mm x 0.25 μm 7HM-G013-11 40 °Cfor 5 min to 150 °C @ 5 °C/min for 5 min to 220 °C @ 20 °C/min for 2 min	Consider that the Performance of
Carrier Gas: Injection: Detection: Analyst Note:	Constant Flow Helium, 2.3 mL/min Split 10:1 0.2 µL @ 150°C Flame Ionization (FID) (280°C) Wine sample has been filtered through 0.2µm RC filter and directly injected.	Products used in this application:

Application courtesy of Ruffino Srl.



ANALYTES:

- Acetaldehyde 1
- Ethyl acetate 2
- 3 Methanol
- 4 Ethanol
- 5 Propanol
- 6 Isobutanol
- 7 3-Methyl-1-butanol

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com

support@phenomenex.com