

GC Application


ID No.: 18770

Diethylene Glycol Divinyl Ether on ZB-35HT by FID

Column: Zebron[™] ZB-35HT, GC Cap. Column 30 m x 0.25 mm x 0.25 μ m, Ea
Phase: 35% Phenyl 65% Dimethylpolysiloxane
Dimensions: 30 meters x 0.25 mm x 0.25 μ m
Order No: 7HG-G025-11
Oven Profile: 40 °C for 0.5 min to 150 °C @ 10 °C/min to 310 °C @ 25 °C/min for 2 min.
Carrier Gas: Constant Flow Helium, 1.4 mL/min
Injection: Split 40:1 1 μ L @ 250°C
Detection: Flame Ionization (FID) (320°C)
Analyst Note: Application Courtesy of Northeastern Chemical Company



Products used in this application:



ANALYTES:

- 1 Isopar C
- 2 Diethylene glycol divinyl ether
- 3 Isobornyl acrylate

