GC Application ID No.: **19251**



PolyWAX 1000 on ZB-1XT SimDist 5x0.53x0.09

Zebron™ ZB-1XT SimDist Metal, GC Cap. Column 5 m x 0.53 mm x 0.09 µm, Ea

Phase: 100% Dimethylpolysiloxane **Dimensions:** 5 meters x 0.53 mm x 0.09 μ m

Order No: 7AK-G026-55

Oven Profile: 50 °C to 430 °C @ 10 °C/min for 20 min.

Carrier Gas: Constant Flow Helium, 29 mL/min Injection: On-Column :1 1 µL @ 53°C **Detection:** Flame Ionization (FID) (450°C)


Analyst Note: This chromatogram has been baseline subtracted. Sample was 1mg/mL in Carbon Disulfide.

19251



Products used in this application:





ANALYTES:

PolyWAX 1000

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com

