GC Application




Products used in this application:

Phthalates by GCMS on a ZB-50 30x0.25x0.25

Column: Phase: Dimensions: Order No: Oven Profile:	Zebron [™] ZB-50, GC Cap. Column 30 m x 0.25 mm x 0.25 µm, Ea 50% Phenyl 50% Dimethylpolysiloxane 30 meters x 0.25 mm x 0.25 µm 7HG-G004-11 135 °C to 275 °C @ 25 °C/min for 3.5 min to 340 °C @ 35 °C/min for 1 min
Carrier Gas:	Constant Flow Helium, 1 mL/min
Injection:	Split 10:1 1 μL @ 260°C
Detection:	Mass Selective (MSD) (320°C)
Analyst Note:	Analytes are 100μg/mL

19931



©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com

GC Application ID No.: 19931

Phthalates by GCMS on a ZB-50 30x0.25x0.25

ANALYTES:

- 1 Dimethyl phthalate
- 2 Diethyl phthalate
- 3 Diallyl phthalate
- 4 Dipropyl phthalate
- 5 Dibutyl phthalate
- Diisobutyl phthalate 6
- 7 Dihexyl phthalate
- 8 bis(2-Methoxyethyl)phthalate
- Dipentyl phthalate 9
- 10 bis(2-Ethoxyethyl)phthalate
- 11 bis(4-Methyl-2-pentyl)phthalate
- 12 Di(ethylhexyl) phthalate
- 13 Butylbenzyl phthalate
- 14 Diheptyl phthalate
- 15 bis(2-Butoxyethyl)phthalate
- 16 Dicyclohexyl phthalate
- 17 Di-n-octyl phthalate
- 18 Diphenylhexyl phthalate
- 19 Dinonyl phthalate
- 20 Diisononyl phthalate
- 21 Diisodecyl phthalate

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com

For more information contact your Phenomenex Representative at support@phenomenex.com

