GC Application




209 PCB Congeners on ZB-5ms


Column:	Zebron ^{m} ZB-5MS, GC Cap. Column 60 m x 0.25 mm x 0.25 μ m, Ea
Phase:	5% Phenyl-Arylene 95% Dimethylpolysiloxane
Dimensions:	60 meters x 0.25 mm x 0.25 μm
Order No:	7KG-G010-11
Oven Profile:	60 °C for 1 min to 140 @ 25 °C/min to 290 °C @ 2 °C/min

Carrier Gas: Constant Flow Helium, 1.1 mL/min Injection: Splitless :1 1 µL @ 280°C

Detection: Mass Selective (MSD) (320°C)

21432





55

60

65

70 min

ANALYTES:

©2015 PheRCencomgeneins reserved.

10

15

20

25

30

35

40

45 50

Phenomenex products are available worldwide.

www.phenomenex.com

Products used in this application:



For more information contact your Phenomenex Representative at support@phenomenex.com