

GC Application

ID No.: 6564

Volatile Organics

Column: Zebron[™] ZB-5, GC Cap. Column 30 m x 0.53 mm x 5.00 μ m, Ea

Phase: 5% Phenyl 95% Dimethylpolysiloxane

Dimensions: 30 meters x 0.53 mm x 5 μ m

Order No: 7HK-G002-39

Oven Profile: 40°C for 4min to 100°C at 10°C/min

Carrier Gas: Constant Pressure Helium, 3.97 mL/min


Injection: Split 400:1 1 μ L @ 250°C

Detection: Flame Ionization (FID) (300°C)

6564



Products used in this application:



ANALYTES:

1 Methanol

Retention Time: 1.44 min

2 Acetone

Retention Time: 2.61 min

3 Ethyl acetate

Retention Time: 5.92 min

©2005 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.

www.phenomenex.com
Retention Time: 5.92 min

support@phenomenex.com