

## Test Conditions for Zebron ZB-5ms (AG0-7578)

**Column:** Zebron™ ZB-5MS, GC Cap. Column 30 m x 0.25 mm x 0.25 µm, Ea  
**Phase:** 5% Phenyl-Arylene 95% Dimethylpolysiloxane  
**Dimensions:** 30 meters x 0.25 mm x 0.25 µm  
**Order No:** 7HG-G010-11  
**Oven Profile:** 140°C Isothermal


**Carrier Gas:** Constant Flow Hydrogen, 1.18 mL/min  
**Injection:** Split 100:1 1.4 µL @ 250°C  
**Detection:** Flame Ionization (FID) (325°C)  
**Analyst Note:** AG0-7578 Zebron ZB-5ms Column Performance Test Mix  
(ZB-5ms 30m x 0.25mm x 0.25µm)



Products used in this application:



14973



## Test Conditions for Zebron ZB-5ms (AG0-7578)

### ANALYTES:

- 1 Decane
- 2 2-Ethylhexanoic acid
- 3 1,6-Hexanediol
- 4 4-Chlorophenol
- 5 Tridecane
- 6 1-Methylnaphthalene
- 7 1-Undecanol
- 8 Tetradecane
- 9 Dicyclohexylamine
- 10 Pentadecane

