

Soft Drink Additives on Kinetex 2.6µm C18 100 x 4.6mm ID

Column: Kinetex® 2.6 µm C18 100 Å, LC Column 100 x 4.6 mm, Ea

Dimensions: 100 x 4.6 mm ID

Order No: 00D-4462-E0

Elution Type: Gradient

Eluent A: 0.1% phosphoric acid in water


Eluent B: 0.1% phosphoric acid in acetonitrile

Gradient Profile:	Step No.	Time (min)	Pct A	Pct B
	1	0	95	5
	2	0.67	95	5
	3	2.67	60	40
	4	4.33	60	40
	5	5	5	95
	6	5.01	95	5
	7	7	95	5

Flow Rate: 1.8 mL/min

Col. Temp.: ambient

Detection: UV-Vis Abs.-Diode Array (PDA) @ 215 nm (ambient)



ANALYTES:

- 1** Ascorbic acid
Retention Time: 0.569 min
- 2** Acesulfame-K
Retention Time: 1.311 min
- 3** Saccharin
Retention Time: 2.444 min
- 4** Quinine
Retention Time: 2.555 min
- 5** Caffeine
Retention Time: 2.642 min
- 6** Aspartame
Retention Time: 2.867 min
- 7** Sorbic acid
Retention Time: 3.464 min
- 8** Benzoic acid
Retention Time: 3.499 min

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.

www.phenomenex.com

support@phenomenex.com



Products used in this application:

