HPLC Application ID No.: **20918**



Human Plasma Vitamin C on Kinetex 5u XB-C18, 150x4.6mm (50ug/mL)

Kinetex® 5µm XB-C18 100 Å, LC Column 150 x 4.6 mm, Ea

150 x 4.6 mm ID **Dimensions:** Order No: 00F-4605-E0 **Elution Type:** Gradient

Eluent A: 0.1% formic acid Eluent B: Methanol 100%

Gradient	Step No.	Time (min)	Pct A	Pct B
Profile:	1	0	100	0
	2	3.5	100	0
	3	3.6	0	100
	4	5	0	100
	5	5.1	100	0
	6	7	100	0


Kinetex[®]

Products used in this application:



Flow Rate: 800 µL/min Col. Temp.: ambient

UV-Vis Abs.-Variable Wave.(UV) @ 245 nm (ambient) **Detection:**



ANALYTES:

Vitamin C

Retention Time: 2.205 min

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Sample Preparation Details for HPLC Application ID No.: 20918



Human Plasma Vitamin C on Kinetex 5u XB-C18, 150x4.6mm (50ug/mL)

PRODUCT DESCRIPTION:

Impact™ Protein Precipitation, 2mL Square Well Filter Plate, 2/Pk

Order No.: CE0-7565

SOLID PHASE EXTRACTION (SPE) PRODCEDURE

Note: The solvent volumes shown below are for a Proprietary bed mass.

The solvent volumes will need to be adjusted for a smaller or larger bed mass

The solvent volumes	will freed to be adjusted for a	3 Silialiei Oi	larger bed i	iidss.	
Condition:					
Load:					
Wash:					
Dry:					
Elute:					
Final Prep and Analysis:					
Inject: 1 μL on HPLC U	V-Vis AbsVariable Wave.(U	V) @ 245 nı	m (ambient))	
ANALYTES:	Spiked Conc. (ng/mL)	Log P	pKa	% Rec	%RSC (n=0)
1 Vitamin C	50				. ,

This method is designed as a convenient starting point for further investigation and can be tailored to meet your extraction goals. Call your local Phenomenex Representative for assistance in method development and optimization techniques.

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.