HPLC Application

ID No.: 25783



Chiral Separation of Dextromethorphan/Levomethorphan and Dextrorphan/Levorphanol on Lux 3u AMP, 150x4.6

Column: Lux® 3 µm AMP, LC Column 150 x 4.6 mm, Ea

Dimensions: 150 x 4.6 mm ID **Order No:** 00F-4751-E0 **Elution Type:** Gradient

Eluent A: 5mM ammonium bicarbonate, adjusted to pH 11 with ammonium hydroxide

Eluent B: Acetonitrile

Gradient	Step No.	Time (min)	Pct A	Pct B
Profile:	1	0	55	45
	2	4.5	55	45
	3	4.6	20	80
	4	8	20	80
	5	8.1	55	45
	6	10	55	45




Products used in this application:




Flow Rate: 1 mL/min
Col. Temp.: 40 °C

Detection: LC/MS/MS @ (ambient)

Analyst Note: Urine hydrolyzed with beta-glucuronidase and extracted with Strata-X-C





ANALYTES:

1 Dextrorphan 1

Retention Time: 3.85 min

2 Dextrorphan 2

Retention Time: 3.85 min

3 Levorphanol 1

Retention Time: 4.17 min

4 Levorphanol 2

Retention Time: 4.17 min

5 Dextromethorphan 1

Retention Time: 7.24 min

6 Dextromethorphan 2

Retention Time: 7.24 min

7 Levomethorphan 1

Retention Time: 7.69 min

8 Levomethorphan 2

Retention Time: 7.69 min

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.

www.phenomenex.com support@phenomenex.com

Sample Preparation Details

for HPLC Application ID No.: 25783



Chiral Separation of Dextromethorphan/Levomethorphan and Dextrorphan/Levorphanol on Lux 3u AMP, 150x4.6

PRODUCT DESCRIPTION:

Strata™-X-C 33 µm Polymeric Strong Cation, 30 mg / well, 96-Well Plates , 2/Pk

Order No.: 8E-S029-TGB

SOLID PHASE EXTRACTION (SPE) PRODCEDURE:

Note: The solvent volumes shown below are for a bed mass.

The solvent volumes will need to be adjusted for a smaller or larger bed mass.

Condition:	
Load:	
Wash:	
Dry:	
Elute:	
Final Prep and Analysis:	
Urine sample pretreatment: Combine 200μL urine sample, 200μL 100mM ammonium ac buffer (pH 4.0), 20μL internal standard solution (250ng/mL), and 20μL of beta-glucuron	
Inject: 10 µL on HPLC LC/MS/MS @ (ambient)	

ANALYTES:		Spiked Conc. (ng/mL)	Log P	pKa	% Rec	%RSC (n=0)
1	Dextrorphan 1	0				
2	Dextrorphan 2	0				
3	Levorphanol 1	0				
4	Levorphanol 2	0				
5	Dextromethorphan 1	0				
6	Dextromethorphan 2	0				
7	Levomethorphan 1	0				
8	Levomethorphan 2	0				

This method is designed as a convenient starting point for further investigation and can be tailored to meet your extraction goals. Call your local Phenomenex Representative for assistance in method development and optimization techniques.

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



Phenomenex products are available worldwide.

www.phenomenex.com support@phenomenex.com