# **HPLC Application ID No.: 27377**



## 2023 MSACL poster LLOQ peak 18 OH Corticosterone

Kinetex® 2.6 µm C18 100 Å, LC Column 50 x 3 mm, Ea

**Dimensions:** 50 x 3 mm ID Order No: 00B-4462-Y0 Elution Type: Gradient

0.5 mM NH4F (aq) Eluent A:

Eluent B: MeOH

Gradient	Step No.	Time (min)	Pct A	Pct B
Profile:	1	0	60	40
	10	5	5	95
	11	6	5	95
	12	6.5	60	40
	13	8	60	40
	8	2	50	50
	9	4.5	25	75

Flow Rate:  $800 \ \mu L/min$ Col. Temp.: 30 °C

**Detection:** LC/MS/MS @ (700 °C)



Products used in this application:



**ANALYTES:** 

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com



# **Sample Preparation Details**

for HPLC Application ID No.: 27377



### 2023 MSACL poster LLOQ peak 18 OH Corticosterone

#### **PRODUCT DESCRIPTION:**

Strata™-X 33 µm Polymeric Reversed Phase, 30 mg / well, 96-Well Plates , 2/Pk

Order No.: 8E-S100-TGB

#### **SOLID PHASE EXTRACTION (SPE) PRODCEDURE:**

Note: The solvent volumes shown below are for a bed mass.

The solvent volumes will need to be adjusted for a smaller or larger bed mass.

Condition:					
Load:					
Wash:					
Dry:					
Elute:					
Final Prep and Analysis:					
Dilute 500 uL serum s	ample with 500 uL 1% FA.				
Inject: 5 μL on HPLC I	LC/MS/MS @ (700°C)				
ANALYTES:	Spiked Conc.	Log P	рКа	% Rec	%RSC
	(ng/mL)	_	-		(n=0)

This method is designed as a convenient starting point for further investigation and can be tailored to meet your extraction goals. Call your local Phenomenex Representative for assistance in method development and optimization techniques.

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at support@phenomenex.com

